

J-Smart

SERIES
JA



Self-Cleaning



Quick Cooling/
Heating



Sleep Mode

Proudly distributed by

JASA
Smart Home

Johannesburg	(011)708 1148
Pretoria	(012)752 8777
East Rand	(011)823 2119
Cape Town	(021)823 8866

Durban	(031)577 0498
Nelspruit	(013)752 3258
Port Elizabeth	(041)364 0947
Botswana	(00267)262 2909

J-Smart

JA FIXED SPEED






Technical Specifications

Model			JASA-H09A4/JA	JASA-H12A4/JA	JASA-H18A4/JA	JASA-H24A4/JA	JASA-H32A4/JA
Power Supply		V~,Hz,Ph	220~240,50,1	220~240,50,1	220~240,50,1	220~240,50,1	220~240,50,1
Capacity	Cooling	W	2650	3200	5270	7030	8850
	Heating	W	2640	3100	5300	7400	8900
Performance		EER/COP	3.01/3.77	3.05/3.37	3.10/3.31	3.02/3.46	3.14/3.38
Electric Data	Rated Cooling Power Input	W	880	1050	1700	2330	2800
	Rated Heating Power Input	W	700	920	1600	2140	2630
	Rated Cooling Current	A	4.00	4.70	7.60	11.00	12.50
	Rated Heating Current	A	3.00	4.20	7.50	11.00	11.20
Indoor	Indoor Air Flow	m ³ /h	550	590	850	1200	1200
	Noise Level	dB(A)	42	44	46	49	49
	Outline Dimension (W×H×D)	mm	792×292×201	792×292×201	997×316×227	1132×330×232	1132×330×232
	Package Dimension (W×H×D)	mm	888×370×290	888×370×290	1067×385×312	1205×400×317	1205×400×317
	Weight Net/Gross	kg	8.5/12.0	8.5/12.0	12.0/16.0	14.0/18.0	14.0/18.0
Outdoor	Noise Level	dB(A)	52	53	58	58	58
	Outline Dimension (W×H×D)	mm	660×500×240	730×545×285	825×655×310	900×700×350	900×700×350
	Package Dimension (W×H×D)	mm	780×570×345	850×620×370	945×725×435	1020×770×430	1020×770×430
	Weight Net/Gross	kg	25.0/29.0	29.0/34.0	43.6/48.3	57.0/63.0	57.0/63.0
Refrigerant Type		g	R410A/610	R410A/880	R410A/1240	R410A/1650	R410A/2100
Refrigerant Pipe	Gas	inch	3/8"	1/2"	1/2"	5/8"	5/8"
	Liquid	inch	1/4"	1/4"	1/4"	1/4"	1/4"
	Max Length	m	20	20	20	25	25
	Max Height	m	10	10	10	15	15

Indoor Dimension		
Model	WxHxD(mm)	Packing Dimension
JASA-H09A4/JA	792×292×201	880×370×290
JASA-H12A4/JA	792×292×201	965×370×290
JASA-H18A4/JA	940×316×224	1010×385×307
JASA-H24A4/JA	1132×330×232	1210×400×327
JASA-H32A4/JA	1132×330×232	1210×400×327

Outdoor Dimension			
Model	W1(W2)xHxD(mm)	Packing Dimension	AxB(mm)
JASA-H09A4/JA	660(710)×500×240	780×570×345	500×260
JASA-H12A4/JA	730(780)×545×285	850×620×370	540×280
JASA-H18A4/JA	825(880)×655×310	945×725×435	540×335
JASA-H24A4/JA	900(950)×700×350	1020×770×430	630×350
JASA-H32A4/JA	900(950)×700×350	1020×770×430	630×350



J-Smart

JA INVERTER







Technical Specifications



Model			JASA-H09A4/JAI	JASA-H12A4/JAI	JASA-H18A4/JAI	JASA-H24A4/JAI
Power Supply		V~,Hz,Ph	220~240,50,1	220~240,50,1	220~240,50,1	220~240,50,1
Capacity	Cooling	W	2500	3520	5250	6300
	Heating	W	2600	3450	5200	7000
Performance		EER/COP	3.05/3.06	3.05/3.29	3.02/3.25	3.07/3.50
Electric Data	Rated Cooling Power Input	W	820	1154	1738	2050
	Rated Heating Power Input	W	850	1050	1600	2000
	Rated Cooling Current	A	3.60	5.50	7.80	10.50
	Rated Heating Current	A	3.70	5.00	7.30	8.50
Indoor	Indoor Air Flow	m ³ /h	600	650	1000	1200
	Noise Level	dB(A)	41	42	48	48
	Outline Dimension (W×H×D)	mm	792×292×201	881×296×205	997×316×227	1132×330×232
	Package Dimension (W×H×D)	mm	880×370×290	965×370×282	1070×385×312	1210×400×327
	Weight Net/Gross	kg	8.0/10.0	9.5/12.0	13.5/17.0	14.5/18.0
Outdoor	Noise Level	dB(A)	50	51	56	58
	Outline Dimension (W×H×D)	mm	780×545×285	780×545×285	860×545×315	950×700×350
	Package Dimension (W×H×D)	mm	850×620×370	850×620×370	920×620×400	1020×770×430
	Weight Net/Gross	kg	25.0/29.0	28.0/33.0	35.0/39.0	48.0/53.0
Refrigerant Type		g	R410A/750	R410A/960	R410A/1300	R410A/1560
Refrigerant Pipe	Gas	inch	3/8"	3/8"	1/2"	5/8"
	Liquid	inch	1/4"	1/4"	1/4"	1/4"
	Max Length	m	20	20	20	25
	Max Height	m	10	10	10	15

Indoor Dimension		
Model	WxHxD(mm)	Packing Dimension
JASA-H09A4/JAI	792×292×201	880×370×290
JASA-H12A4/JAI	881×296×205	965×370×282
JASA-H18A4/JAI	997×316×227	1070×385×312
JASA-H24A4/JAI	1132×330×232	1210×400×327

Outdoor Dimension			
Model	W1(W2)xHxD(mm)	Packing Dimension	AxB(mm)
JASA-H09A4/JAI	730(780)×545×285	850×620×370	540x280
JASA-H12A4/JAI	730(780)×545×285	850×620×370	540x280
JASA-H18A4/JAI	800(860)×545×315	920×620×400	545x315
JASA-H24A4/JAI	900(950)×700×350	1020×770×430	630x350





J-Smart

Cool, Warm & Collected



Download on the
App Store

GET IT ON
Google Play

www.jet-air.co.za

Due to **JASA** policy of constant improvement, specifications are subject to change without prior notice.

Remarks: Cooling capacities are based on indoor air temp. 27°C DB, 19°C WB and outdoor air temp. 35°C DB, 24°C WB. The above specifications are subject to change without prior notice for product improvement.

E.&O.E.

